

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name:** *CarpetPro RM 764 Classic*

· **Recommended use of the chemical and restrictions on use**

No further relevant information available.

· **Application of the substance / the mixture** *Spray extraction cleaner*

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Alfred Kärcher GmbH & Co. KG

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Postfach 160

D - 71349 Winnenden

Tel.: +49-7195-14-0

Fax : +49-7195-14-2212

www.karcher.com

Karcher Cleaning Systems Sdn. Bhd.

No. 5 Jalan Perintis U1/52

Seksysen U1

Kawasan Perindustrian Temasya Glenmarie

40150 Shah Alam

Selangor Darul Ehsan

Malaysia

Phone: +60-3-55670510

Fax: +60-3-55670509

· **Further information obtainable from:**

Department PCD-D

Tel.: +49-7195-14-2548

Fax : +49-7195-14-3164

safetydata@karcher.com

· **Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

2 Hazards identification

· **Classification of the substance or mixture**

Eye Irrit. 2 H319 Causes serious eye irritation.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

Trade name: CarpetPro RM 764 Classic

(Contd. of page 1)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

H319 Causes serious eye irritation.

· **Precautionary statements**

P102 Keep out of reach of children.

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous components:**

15763-76-5	sodium p-cumenesulphonate	Eye Irrit. 2, H319	3-<10%
112-34-5	2-(2-butoxyethoxy)ethanol	Eye Irrit. 2, H319	0.1-<3%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· **Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Generally the product does not irritate the skin.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

MY

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

Trade name: CarpetPro RM 764 Classic

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling** Avoid contact with eyes and skin.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Keep away from food, beverages and feed.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

Trade name: CarpetPro RM 764 Classic

(Contd. of page 3)

· **Control parameters**· **Ingredients with limit values that require monitoring at the workplace:****112-34-5 2-(2-butoxyethoxy)ethanol**

TLV (USA)	Long-term value: 67.5* mg/m ³ , 10* ppm *Inhalable fraction and vapor
IOELV (European Union)	Short-term value: 101.2 mg/m ³ , 15 ppm Long-term value: 67.5 mg/m ³ , 10 ppm

· **Exposure controls**· **Personal protective equipment**· **General protective and hygienic measures** Wash hands before breaks and at the end of work.· **Respiratory protection:** Not necessary if room is well-ventilated.· **Protection of hands:** Not required.· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles.

9 Physical and chemical properties· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:	Fluid
Colour:	Green
Odour:	citrus-like
Odour threshold:	Not determined.

· **pH-value at 20 °C:** 8.9· **pH-value 1 %:** 8· **Change in condition**

Melting point/freezing point	0 °C
-------------------------------------	------

Initial boiling point and boiling range	100 °C
--	--------

· **Flash point:** Not applicable· **Flammability (solid, gas)** Not applicable.

(Contd. on page 5)

MY

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

Trade name: CarpetPro RM 764 Classic

(Contd. of page 4)

· Ignition temperature:	<i>not applicable</i>
· Decomposition temperature:	<i>Not determined.</i>
· Auto-ignition temperature	<i>Product is not selfigniting.</i>
· Explosive properties:	<i>Product does not present an explosion hazard.</i>
· Explosion limits:	
Lower:	<i>Not determined.</i>
Upper:	<i>Not determined.</i>
· Vapour pressure:	<i>Not determined.</i>
· Density at 20 °C:	<i>1.023 g/cm³</i>
· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not determined.</i>
· Evaporation rate	<i>Not determined.</i>
· Solubility in / Miscibility with Water:	<i>Fully miscible</i>
· Partition coefficient: n-octanol/water	<i>Not determined.</i>
· Viscosity:	
dynamic:	<i>Not determined.</i>
kinematic at 20 °C:	<i>4 s (DIN 53211/4)</i>
· Solvent content:	
Organic solvents:	<i>1.0 %</i>
VOC (EC)	<i>1,00 %</i>
Solids content:	<i>13.5 %</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity corresponds to 10.3**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** *No dangerous reactions known*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known*

MY

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

Trade name: CarpetPro RM 764 Classic

(Contd. of page 5)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

112-34-5 2-(2-butoxyethoxy)ethanol

Dermal	LD50	2,700 mg/kg (can)
--------	------	-------------------

Inhalative	LC50	3,384 mg/kg (Rat)
------------	------	-------------------

- **Primary irritant effect:**
- **Skin corrosion or irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage or eye irritation** Irritating effect.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity (STOT) – single exposure**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity (STOT) – repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**

· **Aquatic toxicity:**

112-34-5 2-(2-butoxyethoxy)ethanol

LC50/96 h	1,300 mg/l (Lepomis macrochirus)
-----------	----------------------------------

EC10/16 h	1,170 mg/l (Pseudomonas putida)
-----------	---------------------------------

EC50/24 h	2,850 mg/l (Daphnia magna) (DIN 38412)
-----------	--

NOEC	>100 mg/l (Desmodesmus subspicatus)
------	-------------------------------------

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **COD-value:** 306000 mg/l
- **General notes:**
The product does not contain organic complexing agents.
The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

Trade name: CarpetPro RM 764 Classic

(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.

- **European waste catalogue**

07 06 01*	aqueous washing liquids and mother liquors
-----------	--

- **Uncleaned packaging:**
- **Recommendation:** Non contaminated packagings may be recycled.
- **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

MY

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 8/8
KÄRCHER

Printing date 20.04.2018

Version number 3

Revision: 08.08.2016

Trade name: CarpetPro RM 764 Classic

(Contd. of page 7)

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Information about limitation of use:**
Employment restrictions concerning juveniles must be observed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

- **Department issuing SDS:** PCD-D
- **Contact:**
Department PCD-D
Tel.: +49-7195-14-2548
Fax : +49-7195-14-3164
safetydata@karcher.com
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Eye Irrit. 2: Serious eye damage or eye irritation – Category 2
- *** Data compared to the previous version altered.**
- 0-011-334-0 RM764/10 1-850

MY