Printing date 01.03.2019

Γ

Version number 4



Revision: 04.05.2017

1.1 Product identifier	
Trade name: <u>RM 31 ASF</u>	
1.3 Details of the supplier of Manufacturer/Supplier:	f the safety data sheet
Alfred Kärcher SE & Co. K(Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden	<u>3</u>
Postfach 160 D - 71349 Winnenden	
Tel.: +49-7195-14-0 Fax : +49-7195-14-2212	
www.karcher.com	
Distributor: Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain	
Tel.: +44-1295-752-000 Fax : +44-1295-752-103	
Further information obtain Department PCD-D Tel.: +49-7195-14-2548 Fax : +49-7195-14-3164 safetydata@karcher.com 1.4 Emergency telephone na	
Spill, Leak, Fire, Exposure, Call CHEMTREC Day or N Within USA and Canada: 1-	ight



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

(Contd. of page 1)

	2: Hazards identification ation of the substance or mixture
	n according to Regulation (EC) No 1272/2008
Met. Corr.1	H290 May be corrosive to metals.
	A H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.
· 2.2 Label ele	
	cording to Regulation (EC) No 1272/2008
	is classified and labelled according to the CLP regulation.
• Hazard picto	grams
\wedge	
L Z	
\sim	
GHS05	
Glibos	
· Signal word	Danger
Harard data	rmining components of labelling:
sodium hydro	
• Hazard state	
-	e corrosive to metals.
•	s severe skin burns and eye damage.
· Precautional	
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sk with water [or shower].
P305 + P351 -	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove conta
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national
	international regulations.
· 2.3 Other ha	
The product	t does not contain any organic halogen compounds (AOX), nitrates, heavy met
compounds.	
Regults of P	BT and vPvB assessment
• PBT: Not ap	
	pplicable.

- · 3.2 Chemical characterisation: Mixtures
- · Description: Cleaning agent

(Contd. on page 3) GB



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

CAS: 1310-73-2	sodium hydroxide	5-<10%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 011-002-00-6		
Reg.nr.: 01-2119457892-27-xx	xxx	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information
- Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact
- Seek medical treatment.
- Immediately wash with water and soap and rinse thoroughly.
- Immediately rinse with water.

• After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- *Protective equipment:* Wear fully protective suit.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

(Contd. of page 3)

	sonal precautions, protective equipment and emergency procedures
	rotective equipment. Keep unprotected persons away.
	ironmental precautions:
	vith plenty of water.
	allow to enter sewers/ surface or ground water.
	allow to penetrate the ground/soil.
	hods and material for containment and cleaning up:
	with liquid-binding material (sand, diatomite, acid binders, universal binders).
	itralising agent.
	contaminated material as waste according to item 13.
	adequate ventilation.
•	erence to other sections
	tion 7 for information on safe handling
	tion 8 for information on personal protection equipment.
See Sec	tion 13 for disposal information.
SECT	ION 7: Handling and storage
	cautions for safe handling
	good ventilation/exhaustion at the workplace.
	formation of aerosols.
	ontact with eyes and skin.
Inform	ation about fire - and explosion protection: No special measures required.
7.2 Con	ditions for safe storage, including any incompatibilities
Storage	
Require	ements to be met by storerooms and receptacles:
Unsuita	ble material for receptacle: aluminium.
Unsuita	ble material for receptacle: glass or ceramic.
Store of	nly in the original receptacle.
Inform	ation about storage in one common storage facility:
Do not	store together with acids.
20	vay from food, beverages and feed.
	information about storage conditions:
Keep av	mjormation about storage conunions.
Keep av Furthe i Store ui	nder lock and key and out of the reach of children.
Keep av Further Store ut	
Keep av Furthei Store ui Keep re	nder lock and key and out of the reach of children.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

(Contd. on page 5)



Revision: 04.05.2017

Printing date 01.03.2019

Version number 4

Trade name: RM 31 ASF

(Contd. of page 4) · 8.2 Exposure controls · Personal protective equipment · General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. • Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed. Short term filter device: Filter A/P2. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not necessary if room is well-ventilated. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves. · Material of gloves Butyl rubber, BR · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · For the permanent contact gloves made of the following materials are suitable: * butyl rubber 0,7 mm, 480 min (EN 374) • As protection from splashes gloves made of the following materials are suitable: * nitril rubber 0,4 mm, 30 min (EN 374) • Eve protection: Tightly sealed goggles (EN 166) · Body protection: Alkaline resistant protective clothing **Boots**

(Contd. on page 6)



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

(Contd.	of	nage	5)
(Contu.	or	page	5)

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form: Colour:	Fluid Yellow
Colour: Odour:	Yellow Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	13.5
pH-value 1 %:	12.5
Change in condition	
Melting point/freezing point:	-14 °C
Initial boiling point and boiling range	:: 100 °C
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.14 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	5 mPas
kinematic:	Not determined.
Solvent content:	0.00.07
VOC (EC)	0.00 %
Solids content:	19.6 %

(Contd. on page 7)

GB



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

(Contd. of page 6)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with strong acids
- Strong exothermic reaction with acids
- Reacts with light alloys to form hydrogen
- Corrodes aluminium
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:
- Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1310-73-2 sodium hydroxide

LC50/96 h 125 mg/l (Gambusia affinis)

- EC50/48 h 76 mg/l (Daphnia magna)
- EC50/15 min 22 mg/l (Photobacterium phosphoreum)
- · 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8) GB



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

(Contd. of page 7)

Trade name: RM 31 ASF

• Additional ecological information:

- · COD-value: 115000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

06 02 04* sodium and potassium hydroxide

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Non contaminated packagings may be recycled.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

UN1824

(Contd. on page 9)

------ GB



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

	(Contd. of page
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1824 SODIUM HYDROXIDE SOLUTION mixtur SODIUM HYDROXIDE SOLUTION mixture
· 14.3 Transport hazard class(es)	
ADR	
and the second s	
· Class · Label	8 (C5) Corrosive substances. 8
· IMDG, IATA	
a contraction of the second se	
· Class	8 Corrosive substances.
· Label	8
9 14.4 Packing group 9 ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
• 14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
· Stowage Category · Segregation Code	A SG35 Stow "separated from" acids.
• 14.7 Transport in bulk according to Anne	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 50 ml
· Transport category	2
Tunnel restriction code	Ε
	(Contd. on page



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

	(Contd. of page
·IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 50 ml
· UN ''Model Regulation'':	UN 1824 SODIUM HYDROXIDE SOLUTION MIXTURE, 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:
- Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

- Relevant phrases
 H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
- · Department issuing SDS: PCD-D
- Contact: Department PCD-D Tel.: +49-7195-14-2548 Fax : +49-7195-14-3164 safetydata@karcher.com
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

(Contd. on page 11)



 Printing date 01.03.2019
 Version number 4
 Revision: 04.05.2017

 Trade name: RM 31 ASF
 (Contd. of page 10)

 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 · 0.011-338.0
 (Contd. of page 10)

 GB
 GB